

2655 Park Center Dr., Suite A Simi Valley, CA 93065 T: +1 805 526 7161 F: +1 805 526 7270

www.alsglobal.com

LABORATORY REPORT

October 15, 2013

Tim Pool SCS Aquaterra 13 Executive Dr., Suite 1 Fairview Heights, IL 62208

RE: CWH Flare Gas Sample / 27213733.12

Dear Tim:

Enclosed are the results of the samples submitted to our laboratory on October 1, 2013. For your reference, these analyses have been assigned our service request number P1304361.

All analyses were performed according to our laboratory's NELAP and DoD-ELAP-approved quality assurance program. The test results meet requirements of the current NELAP and DoD-ELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP and DoD-ELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. Results are intended to be considered in their entirety and apply only to the samples analyzed and reported herein.

If you have any questions, please call me at (805) 526-7161.

Respectfully submitted,

ALS | Environmental

ue Anderson at 9:20 am. Oct 15. 2013

Sue Anderson

Project Manager



Project:

2655 Park Center Dr., Suite A Simi Valley, CA 93065 T: +1 805 526 7161 F: +1 805 526 7270

www.alsglobal.com

Client: SCS Aquaterra

CWH Flare Gas Sample / 27213733.12

Service Request No: P1304361

CASE NARRATIVE

The samples were received intact under chain of custody on October 1, 2013 and were stored in accordance with the analytical method requirements. Please refer to the sample acceptance check form for additional information. The results reported herein are applicable only to the condition of the samples at the time of sample receipt.

BTU and CHONS Analysis

The results for BTU and CHONS were generated according to ASTM D 3588-98. The following analyses were performed and used to calculate the BTU and CHONS results. This method is not included on the laboratory's NELAP, DoD-ELAP, or AIHA-LAP scope of accreditation.

C2 through C6 Hydrocarbon Analysis

The samples were analyzed according to modified EPA Method TO-3 for C2 through >C6 hydrocarbons using a gas chromatograph equipped with a flame ionization detector (FID). This method is not included on the laboratory's NELAP or AIHA-LAP scope of accreditation.

Fixed Gases Analysis

The samples were also analyzed for fixed gases (hydrogen, oxygen/argon, nitrogen, carbon monoxide, methane and carbon dioxide) according to modified EPA Method 3C (single injection) using a gas chromatograph equipped with a thermal conductivity detector (TCD). This method is not included on the laboratory's NELAP or AIHA-LAP scope of accreditation.

Hydrogen Sulfide Analysis

The samples were also analyzed for hydrogen sulfide per ASTM D 5504-08 using a gas chromatograph equipped with a sulfur chemiluminescence detector (SCD). This method is not included on the laboratory's NELAP, DoD-ELAP, or AIHA-LAP scope of accreditation.

Total Gaseous Non-Methane Organics as Methane Analysis

The samples were also analyzed for total gaseous non-methane organics as methane according to modified EPA Method 25C. The analyses included a single sample injection (method modification) analyzed by gas chromatography using flame ionization detection/total combustion analysis.

The results of analyses are given in the attached laboratory report. All results are intended to be considered in their entirety, and ALS Environmental (ALS) is not responsible for utilization of less than the complete report.

Use of ALS Environmental (ALS)'s Name. Client shall not use ALS's name or trademark in any marketing or reporting materials, press releases or in any other manner ("Materials") whatsoever and shall not attribute to ALS any test result, tolerance or specification derived from ALS's data ("Attribution") without ALS's prior written consent, which may be withheld by ALS for any reason in its sole discretion. To request ALS's consent, Client shall provide copies of the proposed Materials or Attribution and describe in writing Client's proposed use of such Materials or Attribution. If ALS has not provided written approval of the Materials or Attribution within ten (10) days of receipt from Client, Client's request to use ALS's name or trademark in any Materials or Attribution shall be deemed denied. ALS may, in its discretion, reasonably charge Client for its time in reviewing Materials or Attribution requests. Client acknowledges and agrees that the unauthorized use of ALS's name or trademark may cause ALS to incur irreparable harm for which the recovery of money damages will be inadequate. Accordingly, Client acknowledges and agrees that a violation shall justify preliminary injunctive relief. For questions contact the laboratory.



2655 Park Center Dr., Suite A Simi Valley, CA 93065 T: +1 805 526 7161

F: +1 805 526 7270 www.alsglobal.com

ALS Environmental - Simi Valley

Certifications, Accreditations, and Registrations

Agency	Web Site	Number
AIHA	http://www.aihaaccreditedlabs.org	101661
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0694
DoD ELAP	http://www.pjlabs.com/search-accredited-labs	L11-203
Florida DOH (NELAP)	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E871020
Maine DHHS	http://www.maine.gov/dhhs/mecdc/environmental-health/water/dwp-services/labcert/labcert.htm	2012039
Minnesota DOH (NELAP)	http://www.health.state.mn.us/accreditation	581572
New Jersey DEP (NELAP)	http://www.nj.gov/dep/oqa/	CA009
New York DOH (NELAP)	http://www.wadsworth.org/labcert/elap/elap.html	11221
Oregon PHD (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	CA200007
Pennsylvania DEP	http://www.depweb.state.pa.us/labs	68-03307 (Registration)
Texas CEQ (NELAP)	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704413- 13-4
Utah DOH (NELAP)	http://www.health.utah.gov/lab/labimp/certification/index.html	CA01627201 3-3
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C946

Analyses were performed according to our laboratory's NELAP and DoD-ELAP approved quality assurance program. A complete listing of specific NELAP and DoD-ELAP certified analytes can be found in the certifications section at www.alsglobal.com, or at the accreditation body's website.

Each of the certifications listed above have an explicit Scope of Accreditation that applies to specific matrices/methods/analytes; therefore, please contact the laboratory for information corresponding to a particular certification.

RIGHT SOLUTIONS | RIGHT PARTNER

DETAIL SUMMARY REPORT

Client: SCS Aquaterra Service Request: P1304361

Project ID: CWH Flare Gas Sample / 27213733.12

Date Received: 10/1/2013 Time Received: 09:00

3C Modified - Fxd Gases Can ASTM D5504-01 - H2S Can
--

Client Sample ID	Lab Code	Matrix	Date Collected	Time Collected	Container ID	Pi1 (psig)	Pf1 (psig)	TO-3 Mod	MAI C-C	3C Modifi	ASTM D:	25C Modifi	
CW4	P1304361-001	Air	9/26/2013	15:04	1SC01160	-1.18	7.27	N	ζ	X	X	X	
CW5	P1304361-002	Air	9/26/2013	15:23	1SC01023	-2.25	5.26	X	ζ	X	X	X	
CW6	P1304361-003	Air	9/26/2013	15:36	1SC00392	-1.04	6.54	У	ζ.	X	X	X	



Air - Chain of Custody Record & Analytical Service Request

		-					
age		 Ot	-	_	-	_	

Project Requirements

(MRLs, QAPP)

Cooler / Blank Temperature _

Type:

2655 Park Center Drive, Suite A Simi Valley, California 93065 Requested Turnaround Time in Business Days (Surcharges) please circle CAS Project M Phone (805) 526-7161 7130436 1 Day (100%) 2 Day (75%) 3 Day (50%) 4 Day (35%) 5 Day (25%) 10 Day-Standard Fax (805) 526-7270 CAS Contact: Company Name & Address (Reporting Information)
Aquaterra Environmental Solutions Inc.
13 Executive Drive Suite 1
fairniew Heights IL 62708 Project Name 27213737.12 **Analysis Method** Project Number P.O. # / Billing Information Comments Phone 8 e.g. Actual (618)628-2002 Preservative or specific instructions Sampler (Print & Sign) **Email Address for Result Reporting** + and a aquatera-env.com Canister ID Flow Controller ID Canister-Canister Laboratory Date Time Sample (Bar code # -.(Bar code #-Start Pressure End Pressure Client Sample ID **ID Number** Collected Collected AC, SC, etc.) "Hg "Hg/psig Volume 29 9-26-13 1SCOLLGO AVGOOSIS 1504 -25 -2 1573 15601023 CW5 9-76-13 سيلر 3-0,82 AVG01673 1536 -30 CW6 15600397 Report Tier Levels - please select Tier III (Results + QC & Calibration Summaries) EDD required Yes / No

Tier IV (Data Validation Package) 10% Surcharge _____

1100

Time:

Received by: (Signature)

Received by: (Signature)

Date:

Date:

9-25-13

	>
<	
_	=
<	
_	
_)
-	
_	-
-	
_)
P	
+	_
Ô	•

Tier I - Results (Default if not specified)

Tier II (Results + QC Summaries)

Relinquished by: (Signature)

Relinquished by: (Signature)

ALS Environmental Sample Acceptance Check Form

Client:	SCS Aquaterra	a				Work order:	P1304361			
Project:	CWH Flare G	as Sample / 27213733	.12		,					
Sample(s) received on:	10/1/13		.]	Date opened:	10/1/13	by:	RMAR	TENIE	S
Vote: This	form is used for all	samples received by ALS.	The use of this fe	orm for custody se	eals is strictly me	eant to indicate prese	nce/absence and r	ot as an ir	dication	of
ompliance		Thermal preservation and containers properly m				e client and/or as req	uired by the metho	od/SOP. Yes	<u>No</u>	<u>N/A</u>
2	-	upplied by ALS?	larked with en	ient sample 119	*			X		
			1:4:0							
3 4		ontainers arrive in goof-custody papers used		9				\boxtimes		
5					ers?			X		
6	-	id sample container labels and/or tags agree with custody papers? Vas sample volume received adequate for analysis?						×		
7	_	vithin specified holding		-~ .				×		
8	=	as proper temperature (thermal preservation) of cooler at receipt adhered to?								×
Ü	was proper to	mperature (anormar p	reservation) o	1 Cooler at 100	orpe danierou e			_	_	
9	Was a trip bla	nk received?						口	X	
10	Were custody seals on outside of cooler/Box?							X		
	Location of seal(s)? Sealing Lid?								X	
	Were signature	e and date included?					_		口	X
	Were seals int	act?								X
	Were custody	seals on outside of sar	nple container	r?					X	
		Location of seal(s)?					Sealing Lid?			X
	Were signature	e and date included?								X
	Were seals int	act?								X
11	Do containe	rs have appropriate pr	eservation, a	ccording to me	thod/SOP or	Client specified	information?			X
	Is there a clien	nt indication that the s	ubmitted samp	oles are pH pre	eserved?					X
	Were VOA v	ials checked for presen	nce/absence of	f air bubbles?						X
	Does the clien	t/method/SOP require	that the analy	st check the sa	mple pH and	if necessary alter	rit?			X
12	Tubes:	Are the tubes capp	ed and intact?	?		-				X
		Do they contain m	oisture?							X
13	Badges:	Are the badges pr		and intact?						$\overline{\mathbf{x}}$
	6 110 110 110 110 110 110 110 110 110 11	Are dual bed badg			v capped and	intact?				×
									7 7	
Lab	Sample ID	Container Description	Required	Received	Adjusted	VOA Headspace		ipt / Preso		1
21201261	001.01	•	рН *	pН	pН	(Presence/Absence))	Commer	ns	
P1304361		1.0 L Source Can								
P1304361 P1304361		1.0 L Source Can 1.0 L Source Can					+			
1304301	003.01	1.0 L source Can					+			
Explain	n any discrepanci	ies: (include lab sample l	(D numbers):	g.						
			,							

P1304361_SCS Aquaterra_CWH Flare Gas Sample $_\,27213733.12.xls$ - Page 1 of 1

RESULTS OF ANALYSIS Page 1 of 1

Client: SCS Aquaterra

Client Sample ID:CW4ALS Project ID: P1304361Client Project ID:CWH Flare Gas Sample / 27213733.12ALS Sample ID: P1304361-001

Test Code: ASTM D3588-98

Analyst: Mike Conejo/Jennifer Young Date Collected: 9/26/13 Sample Type: 1.0 L Summa Canister Date Received: 10/1/13

Test Notes:

Container ID: 1SC01160

Initial Pressure (psig): -1.18 Final Pressure (psig): 7.27

		Canister Dilution	Factor: 1.63
Components	Result	Result	Data
	Volume %	Weight %	Qualifier
Hydrogen	0.82	0.06	
Oxygen + Argon	1.22	1.42	
Nitrogen	7.47	7.64	
Carbon Monoxide	< 0.01	< 0.01	
Methane	53.42	31.25	
Carbon Dioxide	36.96	59.32	
Hydrogen Sulfide	< 0.01	< 0.01	
C2 as Ethane	< 0.01	< 0.01	
C3 as Propane	< 0.01	0.01	
C4 as n-Butane	< 0.01	0.01	
C5 as n-Pentane	0.01	0.04	
C6 as n-Hexane	0.01	0.04	
> C6 as n-Hexane	0.04	0.18	
TOTALS	99,99	99.99	

Components	Mole %	Weight %	
Carbon	22.77	39.79	
Hydrogen	54.33	7.97	
Oxygen + Argon	19.15	44.59	
Nitrogen	3.75	7.64	
Sulfur	< 0.10	< 0.10	

Specific Gravity (Air = 1)		0.9467	
Specific Volume	ft3/lb	13.84	
Gross Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/ft3	548.2	
Net Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/ft3	493.5	
Gross Heating Value (Water Saturated at 0.25636 psia)	BTU/ft3	537.1	
Net Heating Value (Water Saturated at 0.25636 psia)	BTU/ft3	483.5	
Gross Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/lb	7,587.2	
Net Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/lb	6,831.0	
Compressibility Factor "Z" (60 F, 14.696 psia)		0.9971	

RESULTS OF ANALYSIS Page 1 of 1

Client: SCS Aquaterra

Client Sample ID: CW5 ALS Project ID: P1304361
Client Project ID: CWH Flare Gas Sample / 27213733.12 ALS Sample ID: P1304361-002

Test Code: ASTM D3588-98

Analyst: Mike Conejo/Jennifer Young Date Collected: 9/26/13 Sample Type: 1.0 L Summa Canister Date Received: 10/1/13

Test Notes:

Container ID: 1SC01023

Initial Pressure (psig): -2.25 Final Pressure (psig): 5.26

		Canister Dilution	Factor: 1.60	
Components	Result	Result	Data	
	Volume %	Weight %	Qualifier	
Hydrogen	0.83	0.06		
Oxygen + Argon	1.14	1.33		
Nitrogen	7.22	7.38		
Carbon Monoxide	< 0.01	< 0.01		
Methane	53.58	31.34		
Carbon Dioxide	37.12	59.57		
Hydrogen Sulfide	< 0.01	< 0.01		
C2 as Ethane	< 0.01	< 0.01		
C3 as Propane	< 0.01	0.01		
C4 as n-Butane	< 0.01	0.01		
C5 as n-Pentane	0.02	0.04		
C6 as n-Hexane	0.02	0.05		
> C6 as n-Hexane	0.05	0.19		
TOTALS	99,99	99.99		

TOTALS	99.99	99.99

Components	Mole %	Weight %	
Carbon	22.81	39.94	
Hydrogen	54.41	7.99	
Oxygen + Argon	19.16	44.67	
Nitrogen	3.62	7.38	
Sulfur	< 0.10	< 0.10	

Specific Gravity (Air = 1)		0.9469	
Specific Volume	ft3/lb	13.84	
Gross Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/ft3	550.1	
Net Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/ft3	495.3	
Gross Heating Value (Water Saturated at 0.25636 psia)	BTU/ft3	538.9	
Net Heating Value (Water Saturated at 0.25636 psia)	BTU/ft3	485.2	
Gross Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/lb	7,612.2	
Net Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/lb	6,853.6	
Compressibility Factor "Z" (60 F, 14.696 psia)		0.9971	

RESULTS OF ANALYSIS Page 1 of 1

Client: SCS Aquaterra

Client Sample ID:CW6ALS Project ID: P1304361Client Project ID:CWH Flare Gas Sample / 27213733.12ALS Sample ID: P1304361-003

Test Code: ASTM D3588-98

Analyst: Mike Conejo/Jennifer Young Date Collected: 9/26/13 Sample Type: 1.0 L Summa Canister Date Received: 10/1/13

Test Notes:

Container ID: 1SC00392

Initial Pressure (psig): -1.04 Final Pressure (psig): 6.54

.	4 0 /		
		Canister Dilution	Factor: 1.55
Components	Result	Result	Data
	Volume %	Weight %	Qualifier
Hydrogen	0.84	0.06	
Oxygen + Argon	1.03	1.21	
Nitrogen	6.92	7.06	
Carbon Monoxide	< 0.01	< 0.01	
Methane	53.81	31.48	
Carbon Dioxide	37.30	59.87	
Hydrogen Sulfide	< 0.01	< 0.01	
C2 as Ethane	< 0.01	< 0.01	
C3 as Propane	< 0.01	0.01	
C4 as n-Butane	< 0.01	0.01	
C5 as n-Pentane	0.02	0.04	
C6 as n-Hexane	0.02	0.05	
> C6 as n-Hexane	0.05	0.20	
TOTALS	99.99	99.99	
Components	Mole %	Weight %	
Carbon	22.87	40.13	
Hydrogen	54.53	8.03	
Oxygen + Argon	19.15	44.77	
Nitrogen	3.46	7.07	
Sulfur	< 0.10	< 0.10	
Specific Gravity (Air = 1)		0.9467	
Specific Volume	ft3/lb	13.84	
Gross Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/ft3	552.5	
Net Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/ft3	497.5	
Gross Heating Value (Water Saturated at 0.25636 psia)	BTU/ft3	541.3	
Net Heating Value (Water Saturated at 0.25636 psia)	BTU/ft3	487.4	
Gross Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/lb	7,647.1	
Net Heating Value (Dry Gas @ 60 F, 14.696 psia)	BTU/lb	6,885.0	
Compressibility Factor "Z" (60 F, 14.696 psia)		0.9971	

RESULTS OF ANALYSIS Page 1 of 1

Client: SCS Aquaterra

Client Sample ID:CW4ALS Project ID: P1304361Client Project ID:CWH Flare Gas Sample / 27213733.12ALS Sample ID: P1304361-001

Test Code:EPA Method 3C ModifiedDate Collected: 9/26/13Instrument ID:HP5890 II/GC1/TCDDate Received: 10/1/13Analyst:Jennifer YoungDate Analyzed: 10/4/13

Sample Type: 1.0 L Summa Canister Volume(s) Analyzed: 0.10 ml(s)

Test Notes:

Container ID: 1SC01160

Initial Pressure (psig): -1.18 Final Pressure (psig): 7.27

Canister Dilution Factor: 1.63

CAS#	Compound	Result	MRL	Data
		%, v/v	%, v/v	Qualifier
1333-74-0	Hydrogen	0.824	0.16	
7782-44-7	Oxygen +			
7440-37-1	Argon	1.22	0.16	
7727-37-9	Nitrogen	7.48	0.16	
630-08-0	Carbon Monoxide	ND	0.16	
74-82-8	Methane	53.4	0.16	
124-38-9	Carbon Dioxide	37.0	0.16	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS Page 1 of 1

Client: SCS Aquaterra

Client Sample ID: CW5 ALS Project ID: P1304361
Client Project ID: CWH Flare Gas Sample / 27213733.12 ALS Sample ID: P1304361-002

Test Code: EPA Method 3C Modified Date Collected: 9/26/13
Instrument ID: HP5890 II/GC1/TCD Date Received: 10/1/13
Analyst: Jennifer Young Date Analyzed: 10/4/13

Sample Type: 1.0 L Summa Canister Volume(s) Analyzed: 0.10 ml(s)

Test Notes:

Container ID: 1SC01023

Initial Pressure (psig): -2.25 Final Pressure (psig): 5.26

Canister Dilution Factor: 1.60

CAS#	Compound	Result	MRL	Data
		%, v/v	%, v/v	Qualifier
1333-74-0	Hydrogen	0.828	0.16	
7782-44-7	Oxygen +			
7440-37-1	Argon	1.14	0.16	
7727-37-9	Nitrogen	7.22	0.16	
630-08-0	Carbon Monoxide	ND	0.16	
74-82-8	Methane	53.6	0.16	
124-38-9	Carbon Dioxide	37.1	0.16	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS Page 1 of 1

Client: SCS Aquaterra

Client Sample ID: CW6 ALS Project ID: P1304361
Client Project ID: CWH Flare Gas Sample / 27213733.12 ALS Sample ID: P1304361-003

Test Code: EPA Method 3C Modified Date Collected: 9/26/13
Instrument ID: HP5890 II/GC1/TCD Date Received: 10/1/13
Analyst: Jennifer Young Date Analyzed: 10/4/13

Sample Type: 1.0 L Summa Canister Volume(s) Analyzed: 0.10 ml(s)

Test Notes:

Container ID: 1SC00392

Initial Pressure (psig): -1.04 Final Pressure (psig): 6.54

Canister Dilution Factor: 1.55

CAS#	Compound	Result	MRL	Data
		%, v/v	%, _V / _V	Qualifier
1333-74-0	Hydrogen	0.844	0.16	
7782-44-7	Oxygen +			
7440-37-1	Argon	1.03	0.16	
7727-37-9	Nitrogen	6.92	0.16	
630-08-0	Carbon Monoxide	ND	0.16	
74-82-8	Methane	53.8	0.16	
124-38-9	Carbon Dioxide	37.3	0.16	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

RESULTS OF ANALYSIS Page 1 of 1

Client: SCS Aquaterra

Client Sample ID: Method Blank
Client Project ID: P1304361
ALS Project ID: P131004-MB
ALS Sample ID: P131004-MB

Test Code: EPA Method 3C Modified Date Collected: NA
Instrument ID: HP5890 II/GC1/TCD Date Received: NA
Analyst: Jennifer Young Date Analyzed: 10/04/13

Sample Type: 1.0 L Summa Canister Volume(s) Analyzed: 0.10 ml(s)

Test Notes:

CAS#	Compound	Result	MRL	Data
		%, v/v	%, _V / _V	Qualifier
1333-74-0	Hydrogen	ND	0.10	
7782-44-7	Oxygen +			
7440-37-1	Argon	ND	0.10	
7727-37-9	Nitrogen	ND	0.10	
630-08-0	Carbon Monoxide	ND	0.10	
74-82-8	Methane	ND	0.10	
124-38-9	Carbon Dioxide	ND	0.10	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

LABORATORY CONTROL SAMPLE SUMMARY $\mbox{Page 1 of 1}$

Client: SCS Aquaterra

Client Sample ID: Lab Control Sample ALS Project ID: P1304361
Client Project ID: CWH Flare Gas Sample / 27213733.12 ALS Sample ID: P131004-LCS

Test Code: EPA Method 3C Modified Date Collected: NA
Instrument ID: HP5890 II/GC1/TCD Date Received: NA
Analyst: Jennifer Young Date Analyzed: 10/04/13

Sample Type: 1.0 L Summa Canister Volume(s) Analyzed: NA ml(s)

Test Notes:

					ALS	
CAS#	Compound	Spike Amount	Result	% Recovery	Acceptance	Data
		ppmV	ppmV		Limits	Qualifier
1333-74-0	Hydrogen	40,000	39,600	99	84-110	
7782-44-7	Oxygen +					
7440-37-1	Argon	50,000	52,600	105	88-114	
7727-37-9	Nitrogen	50,000	53,000	106	88-114	
630-08-0	Carbon Monoxide	50,000	52,100	104	88-113	
74-82-8	Methane	40,000	40,500	101	87-110	
124-38-9	Carbon Dioxide	50,000	50,400	101	84-109	

RESULTS OF ANALYSIS

Page 1 of 1

Client: SCS Aquaterra

Client Project ID: CWH Flare Gas Sample / 27213733.12 ALS Project ID: P1304361

Total Gaseous Nonmethane Organics (TGNMO) as Methane

Test Code: EPA Method 25C Modified

Instrument ID: HP5890 II/GC1/FID/TCA Date(s) Collected: 9/26/13

Analyst: Jennifer Young Date Received: 10/1/13

Sampling Media: 1.0 L Summa Canister(s) Date Analyzed: 10/4/13

Test Notes:

Client Sample ID	ALS Sample ID	Canister Dilution Factor	Injection Volume ml(s)	Result ppmV	MRL ppmV	Data Qualifier
CW4	P1304361-001	1.63	0.50	3,900	1.6	
CW5	P1304361-002	1.60	0.50	3,800	1.6	
CW6	P1304361-003	1.55	0.50	4,200	1.6	
Method Blank	P131004-MB	1.00	0.50	ND	1.0	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

LABORATORY CONTROL SAMPLE SUMMARY Page 1 of 1

Client: SCS Aquaterra

Client Sample ID:Lab Control SampleALS Project ID: P1304361Client Project ID:CWH Flare Gas Sample / 27213733.12ALS Sample ID: P131004-LCS

Test Code:EPA Method 25C ModifiedDate Collected: NAInstrument ID:HP5890 II/GC1/FID/TCADate Received: NAAnalyst:Jennifer YoungDate Analyzed: 10/04/13

Sampling Media: 1.0 L Summa Canister Volume(s) Analyzed: NA ml(s)

Test Notes:

ALS Compound Spike Amount Result % Recovery Acceptance Data ppmV ppmVLimits Qualifier Total Gaseous Nonmethane Organics (TGNMO) as Methane 99.0 101 85-139 102